

Large Format Inkjet Printer (Sublimation)



DCTE1-1219

Features

- 12/8 Epson i3200 printheads
- Production speed of 510 sqm/hr (1pass)
- 1.9m printing width
- Inbuilt dual heater dryer
- Carriage base plate of high precision makes the head position adjustment more convenient
- Embedded magnetic clutch ensure the media take-up tension is constant and stable print quality is guaranteed
- Integrated head cleaning and moisture capping module
- Fully sealed auto moisturizing and cleaning
- Sublimation ink from Jaysynth



High Resolution Printhead

8/15 Epson i3200 printhead

Variable frequency motor



Foggy & VSDT Printing

Unique two-dimension intelligent foggy and wave-foggy function, and VSDT variable droplet technology which improves printing quality



Wider and thicker girder with THK silent double guide rails



Fluororubber Pressure Roller

Prevents static electricity. The unique lifting device can respond to the phenomenon of partial paper bulging during the printing process



The air shaft media system supports 1000m media roll



Advanced Capping Station

Equipped with advanced intelligent auto printhead cleaning and moisturizing device, which can pump ink well and keep the ink flow fluent

The anti-collision device protects print head while working





High Precision Platform

The printing platform is controlled within +7.5 wires and the surface hard oxidation treatment which causes no deformation for a long time



220 ml secondary ink cartridge+5L ink system ensures amazing printing speed



Negative pressure ink supply system: good for long time printing and cleaning



Front + bottom infrared drying system



Intelligent Ink Starving Alarm

Reduces frequent checking of balance ink, and at the same time reminds addition of ink in time



Captop and integrated wiper to moisture head, make it convenient for peration and maintenence

Specifications*

Model No.		DCTE1-1219
Printhead		Epson i3200 (12 / 8 pcs)
Nozzle		400/row x 8 channels = 3200 total nozzles
Resolution		2400dpi
Colors		СМҮК
Printing width		1.9m (74.8 inch)
Print speed (1.8m media width)	1 pass	510 sqm/hr
	2 pass	255 sqm/hr
Ink type		Dye Sublimation ink
Printing media types		Transfer paper
Computer configuration		OS- Win 10, Processor- i5 / i7, RAM- HD - 1TB, Hard Disk - Ram 8G
Media transfer		Auto air shaft feeding and take-up system
RIP software support		Neostampa
Picture format		EPS, TIF, JPG, PDF
Sending materials type		Roll to Roll 100 - 1000 meter roll size
Head Moisture Method		Fully sealed auto moisturing and cleaning
Dimensions (I x w x	h)	
Printer (mm)		3812 x 1332 x 1620
Printer weight		800 kg
Operating Environm	ent	
Temperature		22°C-28°C
Humidity		55%-65%
Power		
Printer Power		2.5kW UPS (Single Phase)
Heater (Inbuilt)		8kW Mains (Single Phase)
Air pressure		5 bar
*Specifications are subject t	to change	

*Specifications are subject to change



sales@jayinst.com www.digi-chrome.com

JAY INSTRUMENTS AND SYSTEMS PRIVATE LIMITED

Head Office :

E-16, Everest, Tardeo Road, Mumbai - 400 034. Tel. : +91-22-2352 6207 / 8, Fax. : +91-22-2352 6210.

Navi Mumbai Office :

Plot no. L-80, MIDC Industrial Area, Taloja, Dist. Raigad - 410208. Tel. : +91-22-3504 5160.

Branches : Ahmedabad, Baroda, Bengaluru, Chennai, Delhi, Hubballi, Hyderabad, Tiruppur, Vizag.